





















TOOL SELECTION GUIDE



			BLIND RIVETS					
			STANDARD BLIND RIVETS, MULTI-GRIP, TRI-FOLDING, SPECIAL BLIND RIVETS					
			3/32" 2.4 mm	1/8" 3.2 mm	5/32" 4.0 mm	3/16" 4.8 mm	1/4" 6.4 mm	9/32" 7.5 mm
HAND	GO-2							
	GO-3							
	GO-55					AS		
	GO-360				AS	AS		
	GO-40							
	GO-25-SN							
	GO-39							
	GO-12-R							
PNEUMATIC HYDRAULIC	AIRPOWER 1							
	AIRPOWER 2							
	AIRPOWER 3							
CORDLESS	GO-100							
	GO-BR1							
	GO-100+					*	*	*
	GO-TR1					*	*	*
	GO-200							
	GO-BR2							

A: ALUMINUM / COPPER
S: STEEL
I: INOX

BLUE FIELD: RECOMMENDED WORKING RANGE (ASI)
SPECIFICS ARE INDICATED BY RELEVANT LETTERS
* = SPECIAL NOSE PIECE REQUIRED FOR SETTING

Subject to modifications











Sales@RivetUSA.com

Request your quote with Rivet USA (an operating division of Cardinal Components, Inc.)
Cardinal Components, Inc. is your authorized preferred specialty fastener distributor.

ISO 9001 CERTIFIED
www.RivetUSA.com
(800) 236-3200

TOOL SELECTION GUIDE

			SEMI-STRUCTURAL BLIND RIVETS							
			GO-BULB II				GO-INOX II			
			1/8" 3.2 mm	5/32" 4.0 mm	3/16" 4.8 mm	.236" 6.0 mm	1/8" 3.2 mm	5/32" 4.0 mm	3/16" 4.8 mm	
HAND	GO-40									
	GO-25-SN									
	GO-12-R									
	GO-39									
PNEUMATIC HYDRAULIC	AIRPOWER 1									
	AIRPOWER 2									
	AIRPOWER 3									
CORDLESS	GO-100									
	GO-BR1									
	GO-200									
	GO-BR2									

			STRUCTURAL BLIND RIVETS							
			GO-LOCK		M-LOCK		H-LOCK	PREMIUM		
			3/16" 4.8 mm	1/4" 6.4 mm	3/16" 4.8 mm	1/4" 6.4 mm	1/4" 6.4 mm	3/16" 4.8 mm	1/4" 6.4 mm	
HAND	GO-40			AS	*	* AS	AS		AS	
	GO-25-N			AS	*	* AS	AS		AS	
	GO-12-R			A					A	
	GO-39				*	*				
PNEUMATIC HYDRAULIC	AIRPOWER 1		A					A		
	AIRPOWER 2			A					A	
	AIRPOWER 3				*	*				
CORDLESS	GO-100			A						
	GO-BR1									
	GO-200				*	*				
	GO-BR2				*	*				

A: ALUMINUM / COPPER
S: STEEL
I: INOX

BLUE FIELD: RECOMMENDED WORKING RANGE (ASI)
SPECIFICS ARE INDICATED BY RELEVANT LETTERS
* = SPECIAL NOSE PIECE REQUIRED FOR SETTING



GO-2 - HAND RIVET TOOL

AUTOMATIC EJECTION OF RETAINED MANDREL AFTER SETTING BLIND RIVET

RIVETING CAPACITY FOR BLIND RIVETS

Ø 3/32" up to 3/16"

Ø 2.4 up to 4.8 mm

All Materials



GO-40 - HEAVY DUTY LEVER TYPE HAND RIVET TOOL

HIGH LEVERAGE DESIGN TO REDUCE GRIP FORCE PRESSURE - INCLUDES SPENT MANDREL CONTAINER

RIVETING CAPACITY FOR BLIND RIVETS

Ø 1/8" up to 1/4"

Ø 3.2 up to 6.4 mm

All Materials

FOR STRUCTURAL BLIND RIVETS

Ø 3/16"

Ø 4.8 mm

All Materials

Ø .236", 1/4"

Ø 6.0, 6.4 mm

Aluminum / Steel



GO-100 - LITHIUM-ION CORDLESS RIVET TOOL

RIVETING CAPACITY FOR BLIND RIVETS

Ø 3/32" up to 3/16"

Ø 2.4 up to 4.8 mm

All Materials



AIRPOWER 1 - PNEUMATIC/HYDRAULIC BLIND RIVET SETTING TOOL

RIVETING CAPACITY FOR BLIND RIVETS

Ø 3/32" up to 3/16"

Ø 2.4 up to 4.8 mm

All Materials



RIVET TOOLS FROM GOEBEL FASTENERS

See The Full Tools-Video on Our Website: goebelfasteners.com/media-library





Sales@RivetUSA.com

Request your quote with Rivet USA (an operating division of Cardinal Components, Inc.)
Cardinal Components, Inc. is your authorized preferred specialty fastener distributor.

ISO 9001 CERTIFIED
www.RivetUSA.com
(800) 236-3200

GO-BR1 - LITHIUM-ION CORDLESS RIVET TOOL

RIVETING CAPACITY FOR BLIND RIVETS

Ø 1/8" up to 3/16"
Ø 3.2 up to 4.8 mm
All Materials



GO-BR2 - LITHIUM-ION CORDLESS RIVET TOOL

RIVETING CAPACITY FOR STRUCTURAL BLIND RIVETS

Ø 5/32" up to 1/4"
Ø 4.0 up to 6.4 mm
All Materials



GO-TR1 - LITHIUM-ION CORDLESS RIVET TOOL

RIVETING CAPACITY FOR TRIPLE CLAW BLIND RIVETS

Ø 3/16", 1/4", 9/32"
Ø 5.2, 6.4, 7.5
Aluminum



RIVET TOOLS FROM GOEBEL FASTENERS

See The Full Tools-Video on Our Website: goebelfasteners.com/media-library

GO-2 - BLIND RIVET TOOL ALUMINUM/STEEL ASSORTMENT KIT

FEATURES QUICK CHANGE NOSEPIECES



WEIGHT	3.50 lbs	1.58 kg
DIMENSION	13.5" x 7.5" x 2.4"	344 x 192 x 62 mm
EQUIPMENT	INCLUDES FOUR NOSEPIECES (3/32", 1/8", 5/32", 3/16") AND A SERVICE WRENCH	
BLIND RIVETS INCLUDED	SBS-42 (STEEL/STEEL 1/8" .063-.125) SBS-44 (STEEL/STEEL 1/8" .188-.250) SCS-44 (STEEL/STEEL 1/8" .188-.250) ABA-42 (ALUMINUM/ALUMINUM 1/8" .063-.125) ABS-62 (ALUMINUM/STEEL 3/16" .063-.125)	
MATERIAL	HIGH STRENGTH ALUMINUM BODY WITH FORGED CR-MO STEEL ALLOY UPPER HANDLE	
ITEM CODE	22900 00021	

GO-2 - BLIND RIVET TOOL STAINLESS STEEL ASSORTMENT KIT

FEATURES QUICK CHANGE NOSEPIECES



WEIGHT	3.50 lbs	1.58 kg
DIMENSION	13.5" x 7.5" x 2.4"	344 x 192 x 62 mm
EQUIPMENT	INCLUDES FOUR NOSEPIECES (3/32", 1/8", 5/32", 3/16") AND A SERVICE WRENCH	
BLIND RIVETS INCLUDED	IBI-42 (STAINLESS STEEL/STAINLESS STEEL 1/8" .063-.125) IBI-43 (STAINLESS STEEL/STAINLESS STEEL 1/8" .126-.187) IBI-44 (STAINLESS STEEL/STAINLESS STEEL 1/8" .188-.250) IBI-42LF (STAINLESS STEEL/STAINLESS STEEL 1/8" .063-.125) IBI-44LF (STAINLESS STEEL/STAINLESS STEEL 1/8" .188-.250)	
MATERIAL	HIGH STRENGTH ALUMINUM BODY WITH FORGED CR-MO STEEL ALLOY UPPER HANDLE	
ITEM CODE	22900 00022	